

Inspo XL

Concentrate Vaporizer



Instruction Manual

SPECIFICATIONS

Battery Capacity: 650mAh

Current: 3A

Output Voltage: 2.8V / 3.4V / 3.8V

Charging Port: USB-C (5V ONLY)

Resistance: $\geq 0.8\Omega$

IMPORTANT INFO

IMPORTANT: It is CRUCIAL to charge all Randy's devices with **5V chargers**. For best results, please use Randy's USB-C Charger (Sold separately on **Randys.com**).

Vaping Timeout:

If smoking greater than 10 seconds, LED light will flash Red 4x and enter standby mode.

Short Circuit Protection:


LED light will flash Red 3x.

No Cartridge Detected:

LED light will flash White 3 times.

CAPABILITY

Inspo XL fits up to 3 Gram carts.





Discreet enjoyment,
wherever you go.



POWER ON/OFF

Auto draw on Inspo XL or press button 5x to power on/off device (Inspo XL will default to power on status after connection).

POWER INDICATOR

Pressing button 1x to display corresponding power light.

>75% Green for 2s



35 - 75% Blue for 2s



<35% Red for 2s



CHARGING

Charging Red



Fully Charged Green



ADJUST VOLTAGE

Rapid draw or press button 3x within 1.5s to adjust voltage (default blue light)

2.8V Green



3.4V Blue



3.8V Red



PREHEATING


Rapid draw or press button 2x within 1.5s to preheat. Preheat will keep for 15s under constant 1.8v voltage. It will stop preheating if any other operation happens.

LOCKING MECHANISM

Press the locking tab in and slide it up, then pull the base to separate it from the body.



LOCKED



UNLOCKED

Roll with us on Social Media!



@randyspapers



@randyswired



@randyswired



@randyswired



@randyswired



randys.com

**LEARN MORE
ABOUT
INSPO XL**



Randy's offers 2 types of warranties on
all of our Electronics!

LIMITED WARRANTY (1 YEAR)

Covers defects that may be present, such
as electrical components.

LIMITED COMPONENT PART WARRANTY (1 YEAR)

Covers damages involving glass, coils,
and/or mouthpieces.

Please do not return to the store
for any warranty issue. Visit
www.Randys.com/warranty
for any issues.